

900 Church Street, Lynchburg, VA 24504 www.lynchburgva.gov TEL: 434-455-3995

CITY COUNCIL

December 29, 2005

Ms. Melinda Wheeler 3400 Wilson Avenue Lynchburg, VA 24501

Dear Ms. Wheeler:

Pursuant to your request to present a petition to City Council seeking to ban open air burning in the City, I have scheduled you to appear before City Council on <u>Tuesday</u>, <u>January 10</u>, at 7:30 p.m. City Council meetings are held in the Council Chambers, 900 Church Street. If this date/time is not convenient, please give me a call at 455-3982.

Sincerely,

cc: Kimball Payne City Manager Dear Mrs. Kost,

I'd be happy to be put
on the schedule for the
January 10th meeting
by possible. You may
contact meat:

Wmel 53 Daol. com

OR: (434) 528-0663 Thanks so much! m. wheler Melinda Wheeler 3400 Wilson Avenue Lynchburg, Virginia 24501

January 10, 2006

Statement to Lynchburg City Council
Opposing Open Burning of Leaves and Trash in Lynchburg City

Good evening. My name is Melinda Wheeler, and I recently wrote to the Lynchburg City Council to let them know that I have been made ill by the outdoor burning of leaves and trash in Lynchburg City. Outdoor burning is done constantly in my neighborhood, and it affects my allergies, especially my allergy to mold, quite strongly. I have had breathing problems, sore throats, and have had to miss work to seek medical attention because of this.

Therefore, I would like to present the council with some information on the dangers of outdoor burning. According to the U.S. Environmental Protection Agency, backyard burning, as they call it, produces such air pollutants as:

Particle Pollution Dioxins Carbon Monoxide Hexachlorobenzene Ash

I would now like to read from the testimony of Donna Reynolds, of the American Lung Association of Virginia, which she gave in Chesterfield County on April 9, 2003 regarding open burning and the effects of particle pollution:

"Particulate matter is the generic term used for a type of air pollution that consists of complex and varying mixtures of particles suspended in the air we breathe. Particles are present everywhere, but high concentrations and/or specific types of particles have been found to present a serious danger to human health.

Particulate matter is a combination of fine solids such as dirt, soil dust, pollens, molds, ashes, and soot; Particles of special concern to the protection of lung health are those known as fine particles, less than 2.5 microns in diameter. (For comparison, a human hair is about 75 microns in diameter.) Fine particles are easily inhaled deeply into the lungs where they can be absorbed into the bloodstream or remain embedded for long periods of time. A recent study showed a 17% increase in mortality risk in areas with higher concentrations of small particles.

Particulate matter air pollution is especially harmful to people with lung disease such as asthma and chronic obstructive pulmonary disease (COPD), which includes chronic bronchitis and emphysema. Exposure to particulate air pollution can trigger asthma attacks and cause wheezing, coughing, and respiratory irritation in individuals with sensitive airways.

Recent research has also linked exposure to relatively low concentrations of particulate matter with premature death. Those at greatest risk are elderly and those with pre-existing respiratory or heart disease.

While the health risks associated with particulate pollution are serious, we must not overlook the fact that air pollution burdens our society through these adverse health outcomes. Some of the health care costs associated with air pollution include increased hospitalizations, emergency room visits, doctor office visits, lost work days and restricted activity days."

According to the American Lung Association of Virginia, there are 1,225 people in Lynchburg City suffering from Pediatric Asthma, and 4,021 people suffering from Adult Asthma. So on behalf of myself, the over 5,000 asthma sufferers, as well as those who suffer from Chronic Bronchitis, Emphysema, Heart Disease, and Diabetes, we ask the Council to ban the open air burning of leaves and trash in Lynchburg, and for residents instead to rely on the city collection of trash and leaves.

Melinda Wheeler


PETITION TO BAN OPEN AIR BURNING IN LYNCHBURG


We the undersigned request that the City of Lynchburg prohibit open air burning within city limits.

This dangerous practice is a health hazard that aggravates allergies and asthma, and causes second hand smoke inhalation, which in turn can cause severe respiratory problems for people in proximity to the fires. Let's end this practice and keep our air clean.

<u>NAME</u>	<u>ADDRESS</u>	PHONE
1. Melinda Wh	eder 3400 Wilson	Ave. L-burg, 528-0663
2. Linda Stephen	0 3320 Webox Ce	rehypichene 845-7458
3. Beatrue Tur	zer) 3320 Wilson Cer	e hyvihbuef 5-745P
4. Landi Twery	1512 Somers	384848 et Dr hyburg 24503
5. Melera Myen	112 alta Ln. L	ynchburg VA 24562
	1009 Sheffield Drive o	231-703/
7. Irel Dechant	2412 Tale Springs Rd Ly Apl. HI	528.4238 nohby VA 24501
	1	

8.	Le New 110 FARLEY BRANCH, L'BURG
9. [Bouly Throughon 5025 Rulainey Place Lynchburgez - 239-2097
10.	Louise Riley 1115 Heath Ave. Lynchburg 237-1394
	Ethnie West 24 Country Pl. lane Lynchburg. Va 355-4423
12	Bonnie Hurger \$101 Timberlake Pol Lynchburg 239-2411
13	. Wendy Harper 8108 Dichalake Rel For Lynchy 2392111
14	Many Stante 198 Twool D. Lyndy 234-8011
15	Fri Hut 901 How Med w Juni 335-8479 386-3114
16	Shela Carte 2029 Woodcust Din 24503
	Dez Straut 908 Westview Dr Librer 24502
18	Barbara Clair 219 Norfolk Are City 24505
	Cary McCreary 401 6 Kerry Jane Lynchlung 24502





PETITION TO BAN OPEN AIR BURNING IN LYNCHBURG


We the undersigned request that the City of Lynchburg prohibit open air burning within city limits.

This dangerous practice is a health hazard that aggravates allergies and asthma, and causes second hand smoke inhalation, which in turn can cause severe respiratory problems for people in proximity to the fires. Let's end this practice and keep our air clean.

<u>NAI</u>	<u>ME</u>	ADDRESS	PHONE
44.	Merrill Toll	ert 107 Duro	846-4528 Ave. Lynchery VA. 24:03
			Ca Lyulling 14.
46.	Palle West	1 Huron A	re Synchbuy VA 24503

47. Picke Mays 3508 Round Liela. 384256
47. Justin Hilliams ALS Box 2415 April 12 (44) 202 200
48. Lindsay Hagna 1815 Rivermont Ave (908) 347-6618 Carolyn Franklin 5708 White Oak Dr. Lynchburg 24502 49. Katharine Personal 3057 Million 2 39-8314
50. Jannie Bitle 2217 Yorktown Ave Apt. D9 City 01 (434)846 4152
51. X. Menitt 2315 attubret ld Symbling H
52. Hamarth Johnan 309 Madison Street Lynchburg, VA 528-421
53. America Colo Lancia Lynoldoro VA 846-352
54. Titteny Wilson 309 Madison St. Lynchburg VA 4200-8680
55. Amberly D. Dwer 225 influend. Apt. 76 Synchburg, VA 24503
56. DONALD MODRE 28 DUIGUID DRUSE, LYNXHAUG UM, 24507 528-574
57. Paul Thuk 2702 tatesprings Rd 19x kburg va, 24501 509-76.
58. Ton Suitzer 2412 Tate Spines Rd Lynek burg VH 1814)221-5252

59.	Melissa Sutphin 4251 White St. Lynchul 845-5961
60 .	Melissa Sutphin 4251 White St. Lynchval 845-5961 L-burg Elizabeth McNamara 103 Tranity Ct. 384-0521 L-burg L-burg L-burg
61.	Five Curich 3319 William Xm -
62.	Dani (-cur 3303 V; 15 mAve 845-53/1
63.	(10hing 1/34)
64.	B.H. Just. 3316 WILSOFFE (8435458)
65. _/	Michigan Jan Con Warran No. Cyn. Hourg (234)385-7283
66.c	John W. Hambett 3349 Memorine 400, 434.528-
67. .	Grances & Young 3311 Memorial Aue (434) 8.95-6712
68.	Mangaret Carey Montrillo Ave Lynchbus 245
69.	Enwood & Daison Daniel Ave Lynchburg
70.	registal place Daniel Are Lynautry, La 2340 7916



83.	auja Falcine 334 Woodland Lie 845-3941
84.	MANY Youthum 336 Woodlander 847-0550
85.	Carulyn Pellewy 33+woodbel Ara 845-4901
86.	Jennifer Woodland Ave 518-1240
87.	Barbara Shedd 308 Sumpter St. 528-4232
88.	DeMellast 308 Sength St. 528-4232
	Lucy L. Hicks 319 Sumpter 846 7086
90.	Powih h Line 221 Word in War 523-0211
91.	Early motion 1506 Fillmore St 426-5490
92.	Maomi Amos 100 E. Randolph P1. 846-0741
	Caroly Bul 42 N. Princeton Circle 847-5339
94.	Sichael Danos 56 A. Princetonly 846-4134

95.	Fringer	GLENK	18 BINESSAIR	ext 19C b	MCHBURG	396-707
					,	
96.	Diane	Welson -	2190 Wood	cret Di	hyw chb	rg 384-2831
97.	Dannar	Sloman	108 Wooldn	idae Civ.	Lynchburg	1, M 24502
98.	R. Gan	Orr	228 IVy	Or. a	Tynchbus	19 Va. 24503
99.	Park (Mary	30 le Keywo	dor. Ly	pekber 31	JA 3450/
100	· Jea	Cline.	364 Row	nd 14/1	Rd (g	<u>Inch</u> 24503
101	, Doro	El More	Jeall 2130	o Campe	ten Rd.	1110h 24503 hynch, 2450

Donna Reynolds.

american Lung association of Va.

1-800-345-5864

drey nolds & lung va. org

AMERICAN LUNG ASSOCIATION®

of Virginia

Statement Chesterfield County Open Burning Ordinance April 9, 2003

Good evening. My name is Donna Reynolds and I serve as the Director of Community Relations for the American Lung Association of Virginia. The American Lung Association of Virginia works to promote lung health and protect lung disease. Toward that end, I am here this evening to speak in support of an ordinance to toughen open burning restrictions in Chesterfield County.

According to the U.S. Environmental Protection Agency, the open burning of land clearing debris creates substantial emissions of a large number of pollutants including carbon monoxide, particulate matter, benzene, acetone, toluene, ethyl benzene, pinene, naphthalene, phenol and 14 polycyclic aromatic hydrocarbons. (I have provided each member with a copy of this study along with my comments.)

While many of these pollutants are known to be toxic to humans and cause a wide range of serious health effects, I would like to limit my comments this evening to pollutants called particulates.

Particulate matter is the generic term used for a type of air pollution that consists of complex and varying mixtures of particles suspended in the air we breathe. Particles are present everywhere, but high concentrations and/or specific types of particles have been found to present a serious danger to human health.

Particulate matter is a combination of fine solids such as dirt, soil dust, pollens, molds, ashes, and soot; and aerosols that are formed in the atmosphere from gaseous combustion by-products such as volatile organic compounds, sulfur dioxide and nitrogen oxides.

Particles of special concern to the protection of lung health are those known as fine particles, less than 2.5 microns in diameter. (For comparison, a human hair is about 75 microns in diameter.) Fine particles are easily inhaled deeply into the lungs where they can be absorbed into the bloodstream or remain embedded for long periods of time. A recent study showed a 17% increase in mortality risk in areas with higher concentrations of small particles.

Particulate matter air pollution is especially harmful to people with lung disease such as

asthma and chronic obstructive pulmonary disease (COPD), which includes chronic bronchitis and emphysema. Exposure to particulate air pollution can trigger asthma attacks and cause wheezing, coughing, and respiratory irritation in individuals with sensitive airways.

Recent research has also linked exposure to relatively low concentrations of particulate matter with premature death. Those at greatest risk are the elderly and those with pre-existing respiratory or heart disease.

While the health risks associated with particulate pollution are serious, we must not overlook the fact that air pollution burdens our society through these adverse health outcomes. Some of the health care costs associated with air pollution include increased hospitalizations, emergency room visits, doctor office visits, lost work days and restricted activity days.

The current federal standard for particulate matter (PM10) is 150 micrograms per cubic meter (ug/m3) of air averaged over 24 hours and 50 ug/m3 averaged over a one-year period. In July 1997, the U.S. EPA set a new stricter standard that will regulate fine particulate matter (PM2.5) for the first time: 65 micrograms per cubic meter (ug/m3) measured over a 24-hour period and 15 ug/m3 averaged over a year. The new standard will be phased in over the next few years.

According to the most recent data collected, several areas of Virginia will not meet the new health-based standard for particulate pollution. At this time, Richmond is challenged as one of the areas that may barely meet the new standard. We believe any efforts by local governments to restrict air pollution will assist with helping the region meet these new standards and protect the air our citizens breathe.

On behalf of the American Lung Association of Virginia, I urge you to adopt a more restrictive open burning ordinance in Chesterfield County to protect public health and improve the quality of the air our children and families breathe. Thank you.

(Selected Key Studies On Particulate Matter and Health: 1997-2001)

U.S. Environmental Protection Agency



Eliter Cartier Dis

Prings Agos, parties

marinin da s

Sarkyard Surning

Recent Additions | Contact Us | Print Version Search:


EPA Home > Wastes > Backyard Burning > Human Health

GO

Human Health

Burning trash in the open produces many pollutants, including:

- · dioxins.
- particle pollution.
- polycyclic aromatic hydrocarbons.
- · volatile organic compounds,
- carbon monoxide.
- · hexachlorobenzene, and
- ash.



Many dangerous health conditions can be caused by inhaling or ingesting even small amounts of these pollutants. Small children, the elderly, or people with preexisting respiratory conditions can be especially vulnerable to some of these pollutants.

Dioxins

Backyard burning is of particular health concern because it produces significant quantities of dioxins. Dioxins and "dioxin like" compounds are a group of 30 highly toxic chlorinated organic chemicals. They are produced naturally in small quantities, but are primarily the result of human activity. They can be produced through industrial processes such as chlorinated chemical manufacturing and metal smelting. Currently, however, the largest quantified source of dioxin emissions is the uncontrolled burning of household trash (backyard burning). Studies have shown that only small amounts of chlorinated materials in waste are required to support dioxin formation when burning waste. This means that even when materials containing high levels of chlorine, such as PVC, are removed from household trash, burning the waste still creates dioxins because nearly all household waste contains trace amounts of chlorine.

Much of the dioxins created and released into the air through backyard burning settle on plants. These plants are, in turn, eaten by meat and dairy animals, which store the dioxins in their fatty tissue. People are exposed to dioxins primarily by eating meat, fish, and dairy products, especially those high in fat. Backyard burning occurs most commonly in rural farming areas where dioxin emissions can more easily be deposited on animal feed crops and grazing lands. These dioxins then accumulate in the fats of dairy cows, beef, poultry, and swine, making human consumption of these harmful chemicals difficult to avoid.

Dioxins are classified as persistent, bioaccumulative, and toxic pollutants (PBTs). PBTs are highly toxic, long-lasting substances that can build up in the food chain to levels that are harmful to human and ecosystem health. Persistent means they remain in the environment for extended periods of time. Bioaccumulative means their concentration levels increase as they move up the food chain. As a consequence, animals at the top of the food chain (such as humans) tend to have the highest dioxin concentrations in their bodies.

Dioxins are potent toxicants with the potential to produce a broad spectrum of adverse effects in humans. Dioxins can alter the fundamental growth and development of cells in ways that have the potential to lead to many kinds of impacts. These include adverse effects upon reproduction and development, suppression of the immune system, disruption

of hormonal systems, and cancer. For more detailed information on dioxin health effects, safety issues, and risk, visit EPA's Dioxin and Related Compounds Web site.

Back to Top

Particle Pollution

Particle pollution, also referred to as particulate matter, or PM, refers to microscopic particles released by open burning. Particles that are small enough to get into the lungs (those less than or equal to 10 um in diameter) can cause numerous health problems. Particles can aggravate respiratory conditions such as asthma and bronchitis, and have been associated with cardiac arrhythmia (heartbeat irregularities) and heart attacks. People with heart or lung disease, the elderly, and children are at highest risk from exposure to particles. For more information EPA's particulate matter site.

Back to Top

Polycyclic Aromatic Hydrocarbons

Polycyclic aromatic hydrocarbons, or PAHs, are a group of chemicals commonly found in particulate matter (or smoke and soot) released from backyard burning. The are formed from the incomplete combustion of certain materials. Some PAHs are carcinogenic, or cancer-causing.

Back to Top

Volatile Organic Compounds

People in the immediate vicinity of a burn barrel are also exposed to high levels of volatile organic compounds (VOCs) produced by open burning. Many VOCs are harmful to humans. They also contribute to ground-level ozone pollution, also known as smog, which can worsen respiratory, heart, and other existing health problems. Inhaling certain VOCs can lead to eye, nose, and throat irritation; headache; loss of coordination; nausea; and damage to liver, kidney, and central nervous system.

Back to Top

Carbon Monoxide

Another major pollutant generated by backyard burning is carbon monoxide (CO). At low levels of exposure to CO, humans may experience a variety of neurological symptoms including headache, fatigue, nausea, and vomiting. For more information, visit EPA's carbon monoxide site.

Back to Top

Hexachlorobenzene

Hexachlorobenzene, or HCB, is a highly persistent environmental toxin that degrades slowly in air and, consequently, undergoes long-range atmospheric transport. HCB bioaccumulates in fish, marine animals, birds, lichens, and animals that feed on fish or lichens. Based on studies conducted on animals, long-term low-level exposures may damage a developing fetus, cause cancer, lead to kidney and liver damage, and cause fatigue and skin irritation. HCB is considered a probable human carcinogen and is toxic by all routes of exposure.

Back to Top

Ash

Backyard burning also produces ash residue, which can contain toxic metals such as mercury, lead, chromium, and arsenic. These metals can be toxic when ingested. When a person ingests hazardous amounts of lead, for example, he or she may experience high blood pressure, cardiovascular problems, kidney damage, and brain damage. Unaware of the potential danger, some people scatter the ash in their gardens or bury it on their property. Garden vegetables can absorb and accumulate these metals, which can make them dangerous to eat. Children playing in the yard or garden can incidentally ingest soil containing these metals. Also, rain can wash the ash into groundwater and surface water, contaminating drinking water and food.

Back to Top

EPA Home | Privacy and Security Notice | Contact Us

Last updated on Wednesday, September 17th, 2003 URL: http://www.epa.gov/epaoswer/non-hw/muncpl/backyard/health.htm

U.S. Environmental Protection Agency



Nigha krumiro

Datasati Buritas

Recent Additions | Contact Us | Print Version

Search:

GO

EPA Home > Wastes > Backyard Burning > Environmental Concerns

Environmental Effects

Backyard burning produces various compounds toxic to the environment including nitrogen oxides, volatile organic compounds (VOCs), carbon monoxide, and particle pollution.

- Nitrogen oxides, or NOx, is a group of nitrogen compounds that are partially responsible for acid rain and contribute to global warming, ozone depletion, and the formation of smog.
- Volatile organic compounds, or VOCs, are carbon-based compounds that undergo photochemical reactions (i.e., they react with sunlight) when released into the atmosphere. The VOCs and the compounds they form in the atmosphere, such as ozone, contribute to the formation of smog.
- Carbon monoxide, or CO, chemically reacts with sunlight to create harmful ozone.
 CO production can significantly impact ambient air quality and a region's ability to meet Clean Air Act regulatory air quality standards. Burning garbage in a barrel or pile produces more CO than decomposition in a landfill. CO is also a significant greenhouse gas.
- Particle pollution, also known as particulate matter, or PM, refers to the fine
 particles that produce visible smoke that reduce visibility and creates haze, which is
 a major air pollution problem for many rural communities. In addition to being
 unhealthful, particles soil our homes and cars and transport dangerous chemicals,
 such as dioxins.

Fires

Backyard burning is also frequently the cause of residential, brush, and forest fires, particularly during drought conditions. In Wisconsin, 35 percent of wildfires were started by uncontrolled burning of garbage, brush, and grass. Often, fire hazards are caused by burn piles or barrels left unattended, which grow too large or are not fully extinguished.



EPA Home | Privacy and Security Notice | Contact Us